

Noventra

MARBLE

*Premium Indian Marble &
Granite*

Global Supply Catalogue

Noventra Marble...

The Natural Choice of Builders

The story of Indian marble is rooted in timeless architecture, cultural beauty, and natural elegance.

From ancient temples to modern luxury villas, Indian marble has always symbolized trust, strength, and sophistication.

Look around you—in grand hotels, staircases, reception floors, kitchens, and prayer rooms—you'll likely see Agaria White, Rainforest Brown, or Indian Statuario. Every slab tells a story of Earth's artistry and human imagination.

At Noventra Exports, we bring this legacy to life. Our marble is:

- **Extracted from trusted Indian quarries**
- **Cut, polished, and treated for long-lasting finish**
- **Packaged for export to reach your projects worldwide**

Natural marble is formed over millions of years from calcite-rich limestone. The pressure and heat transform it into beautiful stone—each block a blend of mineral purity and nature's creativity.



Originality and Trust from Indian Stone Legacy


Noventra Exports is one of India's trusted names in the marble and granite export trade. With over 15 years of experience, we specialize in exporting premium-quality Indian marble to the Middle East and Southeast Asia—delivering professionalism, consistency, and aesthetic value.

Our stone range is sourced from renowned Indian quarries, processed with precision using advanced machinery, and shipped globally in a professional and export-ready format.

We have proudly served builders, contractors, and importers in UAE, Qatar, Oman, Singapore, and Sri Lanka, supporting both commercial and residential projects.

Since its inception, Noventra has focused on:

- Exporting premium Indian marble in large slabs and cut-to-size formats
- Partnering with trusted quarry networks and finishing units
- Providing resin-filled, polished, and calibrated slabs for global buyers
- Ensuring moisture-proof packaging and full container loading support



Vision

To establish Noventra Exports as a globally trusted supplier of Indian marble, known for quality, reliability, and client satisfaction

Principles

Noventra aims to grow as a strong export brand through the following core values:

Strive for Excellence






We focus on offering consistently high-quality marble with calibrated sizing and premium finishes.

- Work Together

We build collaborative relationships with quarry owners, processing units, logistics teams, and international clients.

- Operate with Integrity

From sourcing to shipment, we uphold ethical practices and deliver exactly what we promise.



Marble	01
Granite	09
Limestone	18
Sandstone	22
Slate	26
Quartzite	29
Onyx Marble	33
Tiles	36
Otherstones	44

Index



Agaria White Marble


Technical Specifications

- **Hardness:** ~3–4
- **Unit Weight (g/cm³):** ~2.62
- **Specific Density:** ~2.62
- **Water Absorption (%):** <0.2
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** ~950
- **Tensile Strength (kg/cm²):** ~75
- **Average Abrasion (cm³/50cm²):** ~18

Applications:

High-end flooring, Reception counters, Wall panels, Bathroom vanities

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Black Marquino Marble


Technical Specifications

- **Hardness:** 3–5
- **Unit Weight (g/cm³) :** 2.62
- **Specific Density:** 2.62
- **Water Absorption (%):** 0.1
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** 631
- **Tensile Strength (kg/cm²):** 14.4
- **Average Abrasion (cm³/50cm²):** 20

Applications:

High-end flooring, Reception counters, Wall panels, Bathroom vanities

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Brown Rainforest Marble

Technical Specifications

- **Hardness:** -3.0–3.5
- **Unit Weight (g/cm³):** - 2.70
- **Specific density:** - 2.72
- **Water Absorption (%):** -0.25
- **Porosity (%):** -0.4
- **Compressive strength (Kg/cm²):** -1000
- **Tensile Strength (Kg/cm²):** -90
- **Average Abrasion (Cm³/50cm²):** -15.8

Applications:

Feature walls, Lobby flooring, Interior cladding, Designer furniture tops

Available Formats




2 cm Slabs




60 × 60 cm



60 × 30 cm



100–150 cm



Fire Red Marble


Technical Specifications

- **Hardness:** 3–4
- **Unit Weight (g/cm³) :** ~2.7
- **Specific Density:** ~2.7
- **Water Absorption (%):** 0.1
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** 410
- **Tensile Strength (kg/cm²):** 80
- **Average Abrasion (cm³/50cm²):** 15

Applications:

Accent walls, Designer lobby spaces, Columns, Artistic flooring

Available Formats




2 cm Slabs




60 × 60 cm



60 × 30 cm



100–150 cm



Indian Statuario Marble


Technical Specifications

- **Hardness:** 3.0–3.5
- **Unit Weight (g/cm³):** 2.74
- **Specific density:** 2.76
- **Water Absorption (%):** 0.12
- **Porosity (%):** 0.2
- **Compressive strength (Kg/cm²):** ~980
- **Tensile Strength (Kg/cm²):** ~95
- **Average Abrasion (Cm³/50cm²):** ~13.9

Applications:

Hotel bathrooms, Luxury floors, Living rooms, Mandir and wall cladding

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Light Emperador Marble

Technical Specifications

- **Hardness:** 3.5
- **Unit Weight (g/cm³):** 2.71
- **Specific density:** 2.73
- **Water Absorption (%):** 0.16
- **Porosity (%):** 0.3
- **Compressive strength (Kg/cm²):** ~1050
- **Tensile Strength (Kg/cm²):** ~98
- **Average Abrasion (Cm³/50cm²):** ~14.2

Applications:

Hotel lobbies, Master bedrooms, Bathroom counters, Dining halls

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Pink Marble


Technical Specifications

- **Hardness:** 3.0
- **Unit Weight (g/cm³):** 2.69
- **Specific density:** 2.71
- **Water Absorption (%):** 0.22
- **Porosity (%):** 0.4
- **Compressive strength (Kg/cm²):** ~980
- **Tensile Strength (Kg/cm²):** ~88
- **Average Abrasion (Cm³/50cm²):** ~15.0

Applications:

Bedroom walls, Vanity areas, Boutique counters, Stair risers

Available Formats




2 cm Slabs




60 × 60 cm



60 × 30 cm



100–150 cm



Sawar Marble


Technical Specifications

- **Hardness:** 3.2
- **Unit Weight (g/cm³):** 2.72
- **Specific density:** 2.74
- **Water Absorption (%):** 0.18
- **Porosity (%):** 0.3
- **Compressive strength (Kg/cm²):** ~1000
- **Tensile Strength (Kg/cm²):** ~90
- **Average Abrasion (Cm³/50cm²):** ~14.5

Applications:

Villa flooring, External cladding, Facade detailing, Corridor flooring

Available Formats




2 cm Slabs




60 × 60 cm



60 × 30 cm



100–150 cm



Kashmir Gold Granite


Technical Specifications

- **Hardness:** 6–7
- **Unit Weight (g/cm³):** 2.62
- **Specific Density:** 2.62
- **Water Absorption (%):** 0.36
- **Porosity (%):** <0.5
- **Compressive Strength (kg/cm²):** 1578
- **Tensile Strength (kg/cm²):** 104
- **Average Abrasion (cm³/50cm²):** ~15

Applications:

High-end flooring, Kitchen countertops, Reception counters & wall panels

Available Formats




2 cm Slabs



60 x 60 cm



60 x 30 cm



100–150 cm



Lakha Red Granite


Technical Specifications

- **Hardness :** 6–7
- **Unit Weight (g/cm³):** 2.6
- **Specific Density:** 2.6
- **Water Absorption (%):** 0.1
- **Porosity (%):** <0.5
- **Compressive Strength (kg/cm²):** 1170
- **Tensile Strength (kg/cm²):** 150
- **Average Abrasion (cm³/50cm²):** ~15

Applications:

Flooring Countertops, Wall Cladding, Staircases and Steps

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Black Galaxy Granite


Technical Specifications

- **Hardness:** 6.5
- **Unit Weight (g/cm³) :** 2.95
- **Specific Density:** 2.95
- **Water Absorption (%):** 0.04
- **Porosity:** 0.2
- **Compressive Strength (kg/cm²):** 2777
- **Tensile Strength (kg/cm²):** 274
- **Average Abrasion (cm³/50cm²):** ~15-18

Applications:

Kitchen countertops, Bathroom vanities, Flooring & Wall cladding

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100-150 cm



Steel Grey Granite


Technical Specifications

- **Hardness:** 6–7
- **Unit Weight (g/cm³):** 2.70
- **Specific Density:** 2.56
- **Water Absorption (%):** 0.1
- **Porosity(%):** 0.4
- **Compressive Strength (kg/cm²):** 1500
- **Tensile Strength (kg/cm²):** 274
- **Average Abrasion (cm³/50cm²):** ~15–18

Applications:

Flooring, Kitchen, Bathroom Countertops and Wall Cladding

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Absolute Black Granite


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.63
- **Specific Density:** 2.63
- **Water Absorption (%):** 0.02
- **Porosity (%):** 0.4
- **Compressive Strength (kg/cm²):** 3011
- **Tensile Strength (kg/cm²):** 150
- **Average Abrasion (cm³/50cm²):** ~15

Applications:

Kitchen countertops, Bathroom vanities, Flooring & Wall cladding

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Rich Red Granite


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.62
- **Specific Density:** 2.62
- **Water Absorption (%):** 0.04
- **Porosity (%):** 0.6
- **Compressive Strength (kg/cm²):** 1710
- **Tensile Strength (kg/cm²):** ~150
- **Average Abrasion (cm³/50cm²):** ~15

Applications:

Kitchen countertops, Bathroom vanities, Flooring & Wall cladding

Available Formats




2 cm Slabs




60 × 60 cm



60 × 30 cm



100–150 cm



Tan Brown Granite


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.65
- **Specific Density:** 2.65
- **Water Absorption (%):** 0.11
- **Porosity (%):** <0.5
- **Compressive Strength (kg/cm²):** 1810
- **Tensile Strength (kg/cm²):** 150
- **Average Abrasion (cm³/50cm²):** 7.05

Applications:

Kitchen countertops , Bathroom vanities , Flooring, Wall cladding and backsplashes

Available Formats




2 cm Slabs



60 x 60 cm



60 x 30 cm



100-150 cm



Rosy Pink Granite

Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.62
- **Specific Density:** 2.62
- **Water Absorption (%):** 0.04
- **Porosity (%):** 0.6
- **Compressive Strength (kg/cm²):** 1250
- **Tensile Strength (kg/cm²):** 160–
- **Average Abrasion (cm³/50cm²):** 3.0

Applications:

Countertops & Vanity Tops, Flooring, Wall cladding, backsplashes & Staircases

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Kashmir White Granite


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.62
- **Specific Density:** 2.62
- **Water Absorption (%):** 0.40
- **Porosity (%):** <0.6
- **Compressive Strength (kg/cm²):** ~2080
- **Tensile Strength (kg/cm²):** ~132
- **Average Abrasion (cm³/50cm²):** ~15

Applications:

Kitchen countertops & islands, Bathroom vanities & sinks, Flooring

Available Formats




2 cm Slabs



60 × 60 cm



60 × 30 cm



100–150 cm



Rajasthan Grey Limestone


Technical Specifications

- **Hardness:** 3–4
- **Unit Weight (g/cm³):** 2.50
- **Specific Density:** 2500
- **Water Absorption (%):** <1
- **Porosity (%):** 1–5
- **Compressive Strength (kg/cm²):** 1800
- **Tensile Strength (kg/cm²):** 70
- **Average Abrasion (cm³/50cm²):** 11

Applications:

Flooring , Wall cladding , Outdoor paving & Landscaping

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Multicolor Limestone


Technical Specifications

- **Hardness:** 3
- **Unit Weight (g/cm³):** 2.30
- **Specific Density:** 2.30
- **Water Absorption (%):** 0.4
- **Porosity (%):** 1-5
- **Compressive Strength (kg/cm²):** 1800
- **Tensile Strength (kg/cm²):** ~70
- **Average Abrasion (cm³/50cm²):** 15

Applications:

Flooring , Wall cladding , Outdoor palving, Landscaping ,Staircases & Pool surrounds

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Cream Limestone


Technical Specifications

- **Hardness:** 3
- **Unit Weight (g/cm³):** ~2.4
- **Specific Density:** 2430
- **Water Absorption (%):** 0.12
- **Porosity (%):** 4.4
- **Compressive Strength (kg/cm²):** 850
- **Tensile Strength (kg/cm²):** ~99
- **Average Abrasion (cm³/50cm²):** 22

Applications:

Flooring, Wall cladding, Outdoor paving, Landscaping, Staircases, Pool surrounds

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Pink Limestone


Technical Specifications

- | | |
|--|---|
| <ul style="list-style-type: none"> • Hardness: 3–4 • Unit Weight (g/cm³): 2.5 • Specific Density: 2.5 • Water Absorption (%): 1 | <ul style="list-style-type: none"> • Porosity (%): 2–5 • Compressive Strength (kg/cm²): 1800 • Tensile Strength (kg/cm²): 10.8 • Average Abrasion (cm³/50cm²): 15 |
|--|---|

Applications:

Flooring, Wall cladding, paving, Landscaping, Staircases & Countertops

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Rajasthan Red Sandstone


Technical Specifications

- **Hardness:** 6-7
- **Unit Weight (g/cm³) / Specific Density:** 2.42
- **Water Absorption (%):** 1.1
- **Porosity (%):** 2-5
- **Compressive Strength (kg/cm²):** 550
- **Tensile Strength (kg/cm²):**
- **Average Abrasion (cm³/50cm²):** 20

Applications:

Flooring, Wall cladding, Paving, Landscaping, Staircases, coping & Garden edging

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Kota Blue Sandstone


Technical Specifications

- | | |
|---|--|
| <ul style="list-style-type: none"> • Hardness: 3 • Unit Weight (g/cm³) : 2.42 • Specific Density: 2.42 • Water Absorption (%): 0.5 | <ul style="list-style-type: none"> • Porosity (%): 2-5 • Compressive Strength (kg/cm²): 1000 • Tensile Strength (kg/cm²): 617 • Average Abrasion (cm³/50cm²): 11 |
|---|--|

Applications:

Flooring, Wall cladding, Palving, Landscaping & Staircases

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Mint Green Sandstone


Technical Specifications

- **Hardness:** 6.5–7
- **Unit Weight (g/cm³):** 2.36
- **Specific Density:** 2.36
- **Water Absorption (%):** 1.0
- **Porosity (%):** <5
- **Compressive Strength (kg/cm²):** 1170
- **Tensile Strength (kg/cm²):** 180
- **Average Abrasion (cm³/50cm²):** 14

Applications:

Flooring, Wall cladding, Paving, Landscaping & Staircases

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Beige Sandstone


Technical Specifications

- **Hardness): 6–7**
- **Unit Weight (g/cm³) / Specific Density: 2.36–2.42**
- **Water Absorption (%): 1.5**
- **Porosity (%): y 2–5**
- **Compressive Strength (kg/cm²): 1150**
- **Tensile Strength (kg/cm²): 130**
- **Average Abrasion (cm³/50cm²): 14**

Applications:

Flooring, Wall cladding, palving, Landscaping & Staircases

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



California Gold Slate


Technical Specifications

- | | |
|---|--|
| <ul style="list-style-type: none"> • Hardness: 5 • Unit Weight (g/cm³) : 2.3 • Specific Density: 2.3 • Water Absorption (%): 0.4 | <ul style="list-style-type: none"> • Porosity (%): 2 • Compressive Strength (kg/cm²): 1100 • Tensile Strength (kg/cm²): 150 • Average Abrasion (cm³/50cm²): 13 |
|---|--|

Applications:

Flooring, Wall cladding, Palving, Landscaping & Roofing slates

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Rustic Slate


Technical Specifications

- **Hardness:** 3–4
- **Unit Weight (g/cm³) :** 2.3
- **Specific Density:** 2.3
- **Water Absorption (%):** 0.15
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** 1100
- **Tensile Strength (kg/cm²):** 120
- **Average Abrasion (cm³/50cm²):** 18

Applications:

Flooring, Wall cladding, Palving, Landscaping & Roofing

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Terra Red Slate


Technical Specifications

- | | |
|---|--|
| <ul style="list-style-type: none"> • Hardness: 6–7 • Unit Weight (g/cm³) : 2.6 • Specific Density: 2.6 • Water Absorption (%): 0.1 | <ul style="list-style-type: none"> • Porosity (%): <1 • Compressive Strength (kg/cm²): 1400 • Tensile Strength (kg/cm²): 220 • Average Abrasion (cm³/50cm²): 15 |
|---|--|

Applications:

Flooring, Wall cladding, paving, Landscaping & Roofing

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Tan Brown Quartzite


Technical Specifications

- **Hardness: 7**
- **Unit Weight (g/cm³) : 2.65**
- **Specific Density: 2.75**
- **Water Absorption (%): 0.1**
- **Porosity (%): 0.2**
- **Compressive Strength (kg/cm²): 1050**
- **Tensile Strength (kg/cm²): 15**
- **Average Abrasion (cm³/50cm²): 10**

Applications:

Flooring, Wall cladding, Palving, Landscaping & Staircases

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Chocolate Quartzite


Technical Specifications

- **Hardness :** 7
- **Unit Weight (g/cm³):** 2.65
- **Specific Density:** 2.65
- **Water Absorption (%):** 0.1
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** 900
- **Tensile Strength (kg/cm²):** 197
- **Average Abrasion (cm³/50cm²):** 9

Applications:

Flooring, Wall cladding, Landscaping, Staircases & Outdoor Steps

Available Formats



2 cm Slabs




60 × 60 cm



60 × 30 cm



30x30 cm



Multi Color Quartzite

Technical Specifications

- **Hardness (Moh's scale): 6**
- **Unit Weight (g/cm³) / Specific Density: 2.65**
- **Water Absorption (%): 0.1**
- **Porosity (%): 0.2**
- **Compressive Strength (kg/cm²): 900**
- **Tensile Strength (kg/cm²): 19**
- **Average Abrasion (cm³/50cm²): 10**

Applications:

Flooring, Wall cladding, Landscaping, Staircases & Outdoor Steps

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Rose Quartz

Technical Specifications

- **Hardness:** 7
- **Unit Weight (g/cm³):** 2.65
- **Specific Density:** 2.65
- **Water Absorption (%):** <0.5
- **Porosity (%):** 0.2
- **Compressive Strength (kg/cm²):** 1100
- **Tensile Strength (kg/cm²):** 150
- **Average Abrasion (cm³/50cm²):** 10

Applications:

Flooring, Wall cladding, Jewelry & Decorative Objects

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



White Onyx


Technical Specifications

- **Hardness:** 4
- **Unit Weight (g/cm³):** 2.6
- **Specific Density:** 2.7
- **Water Absorption (%):** 0.08
- **Porosity (%):** 0.8
- **Compressive Strength (kg/cm²):** ~1430
- **Tensile Strength (kg/cm²):** ~90
- **Average Abrasion (cm³/50cm²):** ~50

Applications:

Flooring, Wall cladding, Countertops

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Green Onyx


Technical Specifications

- **Hardness:** 6.3
- **Unit Weight (g/cm³):** 2.4
- **Specific Density:** 2.9
- **Water Absorption (%):** 0.16
- **Porosity (%):** 1.2
- **Compressive Strength (kg/cm²):** ~1600
- **Tensile Strength (kg/cm²):** ~125
- **Average Abrasion (cm³/50cm²):** ~77.5

Applications:

Flooring, Wall Cladding, Countertops, Fireplace surrounds

Available Formats



2 cm Slabs



60 x 60 cm



60 x 30 cm



30x30 cm




Pink Onyx

Technical Specifications

- | | |
|---|---|
| <ul style="list-style-type: none"> • Hardness: 6.3 • Unit Weight (g/cm³): 2.5 • Specific Density: 2.85 • Water Absorption (%): 0.05 | <ul style="list-style-type: none"> • Porosity (%): 1.2 • Compressive Strength (kg/cm²): ~1420 • Tensile Strength (kg/cm²): ~140 • Average Abrasion (cm³/50cm²): ~27.5 |
|---|---|

Applications:
 Flooring, Countertops, Bathroom vanities

Available Formats



2 cm Slabs




60 × 60 cm



60 × 30 cm



30x30 cm



Gloss Finish Tiles


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.63
- **Specific Density:** 2.58
- **Water Absorption (%):** 0.5
- **Porosity (%):** 1.0 to 2.5
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Backsplashes, Bathroom Vanities

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Matt Finish Tiles


Technical Specifications

- **Hardness:** 6
- **Unit Weight (g/cm³):** 2.63
- **Specific Density:** 2.58
- **Water Absorption (%):** 0.5%
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Wood Look Tiles


Technical Specifications

- **Hardness:** 6.1
- **Unit Weight (g/cm³):** 2.58
- **Specific Density:** 2.58
- **Water Absorption (%):** 0.02
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs




60 × 60 cm



60 × 30 cm



30x30 cm



Metallic Finish Tiles

Technical Specifications

- **Hardness:** 6.1
- **Unit Weight (g/cm³):** 2.58
- **Specific Density:** 2.63
- **Water Absorption (%):** 0.02
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Marble Look Tiles

Technical Specifications

- | | |
|--|---|
| <ul style="list-style-type: none"> • Hardness: 6.1 • Unit Weight (g/cm³): 2.58 • Specific Density: 2.63 • Water Absorption (%): 0.02 | <ul style="list-style-type: none"> • Porosity (%): 1.0 • Compressive Strength (kg/cm²): 1300 • Tensile Strength (kg/cm²): 90 • Average Abrasion (cm³/50cm²): 70 • |
|--|---|

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Stone & Concrete Look Tiles


Technical Specifications

- **Hardness:** 6.1
- **Unit Weight (g/cm³):** 2.58
- **Specific Density:** 2.63
- **Water Absorption (%):** 0.02
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Carving / Textured Finish Tiles


Technical Specifications

- **Hardness:** 6.1
- **Unit Weight (g/cm³):** 2.58
- **Specific Density:** 2.63
- **Water Absorption (%):** 0.02
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Anti-Slip Tiles


Technical Specifications

- **Hardness:** 6.1
- **Unit Weight (g/cm³):** 2.5
- **Specific Density:** 2.63
- **Water Absorption (%):** 0.02
- **Porosity (%):** 1.0
- **Compressive Strength (kg/cm²):** 1300
- **Tensile Strength (kg/cm²):** 90
- **Average Abrasion (cm³/50cm²):** 70

Applications:

Flooring, Countertops, Wall Panels, Bathrooms & Kitchens, Outdoor Areas

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



Amethyst


Technical Specifications

- **Hardness:** 7
- **Unit Weight (g/cm³):** 2.60
- **Specific Density:** 2.60
- **Water Absorption (%):** <0.2
- **Porosity (%):** 0.5–1.1
- **Compressive Strength (kg/cm²):** 1100
- **Tensile Strength (kg/cm²):** 150
- **Average Abrasion (cm³/50cm²):** 10

Applications:

Flooring, Wall cladding, Jewelry & Decorative Objects

Available Formats



2 cm Slabs



60 × 60 cm



60 × 30 cm



30x30 cm



“

“Stone is silent, but it speaks
through every space it touches.”

-Noventra Exports



Noventra MARBLE

Noventra Exports

Pune, Maharashtra, India

Exporting to: UAE, Qatar, Oman, Singapore, Sri Lanka, China, Vietnam, USA, Bhutan, Bangladesh, Europe, China, Australia, Germany, Italy, & Poland

Let's build something timeless together
Contact us for bulk orders or samples

Website: noventramarble.com

Email: connect@noventramarble.com

darshan@noventramarble.com

